

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"4622535".PN.	US-PGPUB; USPAT	OR	ON	2008/12/06 20:49
L2	1	("702"/\$.ccls. "324"/ \$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/ \$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and (output\$3 with dependent with impedance) and (switch\$3 with measur\$6 with channel) and (sequent\$4 with measur\$6 with voltage with load with component)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:17
L3	1	("702"/\$.ccls. "324"/ \$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/ \$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and (output\$3 with dependent with impedance) and (switch\$3 with measur\$6 with channel) and (sequent\$4 with measur\$6 with voltage with load with component)	US-PGPUB	OR	ON	2008/12/06 21:18
L4	1	("702"/\$.ccls. "324"/ \$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/ \$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((output\$3 with dependent with impedance) and (switch\$3 with measur\$6 with channel) and (sequent\$4 with measur\$6 with	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:18

		voltage with load with component)). clm.				
L5	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((output\$3 with dependent with impedance) and (switch\$3 with measur\$6 with channel) and (sequent\$4 with measur\$6 with voltage with load with component)). clm.	US-PGPUB	OR	ON	2008/12/06 21:19
L6	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((output\$3 with dependent with impedance) and (switch\$3 with measur\$6 with channel) and (sequent\$4 with measur\$6 with voltage with load with component) and (factor with impedance)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:20
L7	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((output\$3 with dependent with impedance) and (switch\$3 with measur\$6 with channel) and (sequent\$4 with measur\$6 with voltage with load with component) and (factor with	US-PGPUB	OR	ON	2008/12/06 21:21

		impedance)).clm.				
L8	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((output\$3 with dependent with impedance) and (parameter with complex with amplitude with voltage with load with component) and (measur\$6 with voltage with load with component) and (factor with impedance)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:25
L9	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((output\$3 with dependent with impedance) and (parameter with complex with amplitude with voltage with load with component) and (measur\$6 with voltage with load with component)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:25
L10	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((output\$3 with dependent with impedance) and (parameter with complex with amplitude with voltage with load with component) and (measur\$6 with voltage with load with component)).	US-PGPUB	OR	ON	2008/12/06 21:26

		clm.				
L11	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((value with dependent with impedance) and (parameter with complex with amplitude with voltage with load with component) and (measur\$6 with voltage with load with component) and (identify\$3 with device)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:30
L12	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((value with dependent with impedance) and (parameter with complex with amplitude with voltage with load with component) and (measur\$6 with voltage with load with component) and (identify\$3 with device)).clm.	US-PGPUB	OR	ON	2008/12/06 21:30
L13	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((value with dependent with impedance) and (parameter with complex with amplitude with voltage with load with component) and (measur\$6 with voltage with load	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:30

		with component) and (identify\$3 with device))				
L14	1	("702"/\$.ccls. "324"/ \$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/ \$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((value with dependent with impedance) and (parameter with complex with amplitude with voltage with load with component) and (measur\$6 with voltage with load with component) and (identify\$3 with device))	US-PGPUB	OR	ON	2008/12/06 21:31
L15	1	("702"/\$.ccls. "324"/ \$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/ \$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((component with sens\$3 with target) and (electrical with properties) and (analog with difference with amplifier) and (switch\$3 with impedance with component) and (proximity with signal))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:35
L16	1	("702"/\$.ccls. "324"/ \$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/ \$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((component with sens\$3 with target) and (electrical with properties) and (analog with difference with amplifier) and (switch\$3 with impedance with	US-PGPUB	OR	ON	2008/12/06 21:36

		component) and (proximity with signal))				
L17	0	("702"/\$.ccls. "324"/ \$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/ \$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((component with sens\$3 with target) and (electrical with properties) and (analog with difference with amplifier) and (switch\$3 with impedance with component) and (proximity with signal)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:36
L18	0	("702"/\$.ccls. "324"/ \$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/ \$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((component with sens\$3 with target) and (electrical with properties) and (analog with difference with amplifier) and (switch\$3 with impedance with component) and (proximity with signal)).clm.	US-PGPUB	OR	ON	2008/12/06 21:37
L19	1	("702"/\$.ccls. "324"/ \$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/ \$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((measur\$6 with voltage with frequenc\$3) and (frequenc\$3 with predefined with inequality with relationship with impedance) and (identify\$3 with device with	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:42

		dependence))				
L20	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((measur\$6 with voltage with frequenc\$3) and (frequenc\$3 with predefined with inequality with relationship with impedance) and (identify\$3 with device with dependence))	US-PGPUB	OR	ON	2008/12/06 21:42
L21	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((measur\$6 with voltage with frequenc\$3) and (frequenc\$3 with predefined with inequality with relationship with impedance) and (identify\$3 with device with dependence)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/12/06 21:42
L22	1	("702"/\$.ccls. "324"/\$.ccls. "340"/\$.ccls. "439"/\$.ccls. "716"/\$.ccls. "73"/\$.ccls. "361"/\$.ccls.) and ((measur\$6 with voltage with frequenc\$3) and (frequenc\$3 with predefined with inequality with relationship with impedance) and (identify\$3 with device with dependence)).clm.	US-PGPUB	OR	ON	2008/12/06 21:43

12/ 6/ 2008 9:43:42 PM

C:\Documents and Settings\jle\My Documents\EAST\Workspaces\10787251.wsp